

Fecha/Hora	Energia Activa Importada [KWh]	Energia Reactiva Importada [Kvarh]	Energia Activa Exportada [KWh]	Energia reactiva Exportada [Kvarh]
01/06/2023 01:00:00 a.m.	0,1240	0,1000	0,0000	0,0260
01/06/2023 02:00:00 a.m.	0,1240	0,1020	0,0000	0,0260
01/06/2023 03:00:00 a.m.	0,1240	0,1020	0,0000	0,0240
01/06/2023 04:00:00 a.m.	0,1240	0,1040	0,0000	0,0260
01/06/2023 05:00:00 a.m.	0,1320	0,1100	0,0000	0,0240
01/06/2023 06:00:00 a.m.	0,1300	0,1100	0,0000	0,0260
01/06/2023 07:00:00 a.m.	0,1160	0,1080	0,0100	0,0260
01/06/2023 08:00:00 a.m.	0,1340	0,0720	0,0400	0,0400
01/06/2023 09:00:00 a.m.	0,1300	0,1440	0,0500	0,0460
01/06/2023 10:00:00 a.m.	0,0320	0,1040	0,2520	0,0520
01/06/2023 11:00:00 a.m.	0,0140	0,1000	0,2820	0,0400
01/06/2023 12:00:00 p.m.	0,0060	0,1000	0,5340	0,0380
01/06/2023 01:00:00 p.m.	0,0180	0,0960	0,2060	0,0420
01/06/2023 02:00:00 p.m.	0,0500	0,1020	0,1320	0,0340
01/06/2023 03:00:00 p.m.	0,0060	0,1000	0,3300	0,0340
01/06/2023 04:00:00 p.m.	0,0380	0,0840	0,2520	0,0340
01/06/2023 05:00:00 p.m.	0,1480	0,1260	0,0500	0,0500
01/06/2023 06:00:00 p.m.	0,2180	0,1420	0,0020	0,0440
01/06/2023 07:00:00 p.m.	0,2060	0,1120	0,0000	0,0500
01/06/2023 08:00:00 p.m.	0,3340	0,1400	0,0000	0,0540
01/06/2023 09:00:00 p.m.	0,2660	0,1120	0,0000	0,0440
01/06/2023 10:00:00 p.m.	0,1700	0,1320	0,0000	0,0260
01/06/2023 11:00:00 p.m.	0,1240	0,1000	0,0000	0,0260
02/06/2023 00:00:00 a.m.	0,1740	0,0720	0,0000	0,0280
02/06/2023 01:00:00 a.m.	0,1800	0,1460	0,0000	0,0200
02/06/2023 02:00:00 a.m.	0,1440	0,1240	0,0000	0,0220
02/06/2023 03:00:00 a.m.	0,1340	0,1120	0,0000	0,0260
02/06/2023 04:00:00 a.m.	0,1260	0,1060	0,0000	0,0240
02/06/2023 05:00:00 a.m.	0,1240	0,1040	0,0000	0,0260
02/06/2023 06:00:00 a.m.	0,1220	0,1020	0,0000	0,0240
02/06/2023 07:00:00 a.m.	0,0880	0,1040	0,0360	0,0260
02/06/2023 08:00:00 a.m.	0,0800	0,0700	0,1600	0,0360
02/06/2023 09:00:00 a.m.	0,0100	0,1460	0,5320	0,0220
02/06/2023 10:00:00 a.m.	0,0000	0,1240	0,6880	0,0220
02/06/2023 11:00:00 a.m.	0,0020	0,1160	0,8220	0,0260
02/06/2023 12:00:00 p.m.	0,0120	0,1020	0,7180	0,0240
02/06/2023 01:00:00 p.m.	0,0500	0,1420	0,4480	0,0320
02/06/2023 02:00:00 p.m.	0,0240	0,1260	0,4940	0,0320
02/06/2023 03:00:00 p.m.	0,0920	0,0920	0,1220	0,0480
02/06/2023 04:00:00 p.m.	0,1760	0,1000	0,1180	0,0220
02/06/2023 05:00:00 p.m.	0,1000	0,1440	0,0880	0,0220

Fecha/Hora	Energia Activa Importada [KWh]	Energia Reactiva Importada [Kvarh]	Energia Activa Exportada [KWh]	Energia reactiva Exportada [Kvarh]
01/06/2023 01:00:00 a.m.	0,1240	0,1000	0,0000	0,0260
01/06/2023 02:00:00 a.m.	0,1240	0,1020	0,0000	0,0260
02/06/2023 06:00:00 p.m.	0,1340	0,1040	0,0120	0,0360
02/06/2023 07:00:00 p.m.	0,2760	0,1340	0,0000	0,0460
02/06/2023 08:00:00 p.m.	0,3340	0,1240	0,0000	0,0580
02/06/2023 09:00:00 p.m.	0,2760	0,1140	0,0000	0,0480
02/06/2023 10:00:00 p.m.	0,1340	0,0980	0,0000	0,0280
02/06/2023 11:00:00 p.m.	0,1620	0,0720	0,0000	0,0300
03/06/2023 00:00:00 a.m.	0,1880	0,1440	0,0000	0,0200
03/06/2023 01:00:00 a.m.	0,0920	0,0780	0,0000	0,0120
03/06/2023 05:00:00 a.m.	0,1300	0,0940	0,0000	0,0180
03/06/2023 06:00:00 a.m.	0,1720	0,1420	0,0020	0,0200
03/06/2023 07:00:00 a.m.	0,1240	0,1400	0,0400	0,0220
03/06/2023 08:00:00 a.m.	0,0180	0,0960	0,3060	0,0260
03/06/2023 09:00:00 a.m.	0,0000	0,1360	0,6380	0,0200
03/06/2023 10:00:00 a.m.	0,0000	0,0940	0,9380	0,0240
03/06/2023 11:00:00 a.m.	0,0000	0,0900	1,1060	0,0220
03/06/2023 12:00:00 p.m.	0,0040	0,0740	1,0240	0,0260
03/06/2023 01:00:00 p.m.	0,0040	0,1260	1,0960	0,0220
03/06/2023 02:00:00 p.m.	0,0060	0,1320	1,0100	0,0220
03/06/2023 03:00:00 p.m.	0,0000	0,0960	0,9980	0,0240
03/06/2023 04:00:00 p.m.	0,0000	0,1360	0,5560	0,0240
03/06/2023 05:00:00 p.m.	0,0900	0,0960	0,1280	0,0340
03/06/2023 06:00:00 p.m.	0,2440	0,1140	0,0040	0,0320
03/06/2023 07:00:00 p.m.	0,2740	0,1180	0,0000	0,0440
03/06/2023 08:00:00 p.m.	0,3040	0,0680	0,0000	0,0600
03/06/2023 09:00:00 p.m.	0,2380	0,1380	0,0000	0,0300
03/06/2023 10:00:00 p.m.	0,1600	0,1340	0,0000	0,0200
03/06/2023 11:00:00 p.m.	0,1200	0,0980	0,0000	0,0240
04/06/2023 00:00:00 a.m.	0,1180	0,0980	0,0000	0,0220
04/06/2023 01:00:00 a.m.	0,1180	0,0960	0,0020	0,0260
04/06/2023 02:00:00 a.m.	0,1180	0,0980	0,0000	0,0240
04/06/2023 03:00:00 a.m.	0,1220	0,1040	0,0000	0,0240
04/06/2023 04:00:00 a.m.	0,1580	0,0800	0,0000	0,0280
04/06/2023 05:00:00 a.m.	0,1780	0,1320	0,0000	0,0220
04/06/2023 06:00:00 a.m.	0,1580	0,1400	0,0020	0,0200
04/06/2023 07:00:00 a.m.	0,1000	0,1080	0,0320	0,0260
04/06/2023 08:00:00 a.m.	0,0840	0,0960	0,0440	0,0260
04/06/2023 09:00:00 a.m.	0,0120	0,1160	0,6780	0,0120
04/06/2023 10:00:00 a.m.	0,0000	0,1160	0,8720	0,0120
04/06/2023 11:00:00 a.m.	0,0000	0,1120	0,3520	0,0340

Fecha/Hora	Energia Activa Importada [KWh]	Energia Reactiva Importada [Kvarh]	Energia Activa Exportada [KWh]	Energia reactiva Exportada [Kvarh]
01/06/2023 01:00:00 a.m.	0,1240	0,1000	0,0000	0,0260
01/06/2023 02:00:00 a.m.	0,1240	0,1020	0,0000	0,0260
04/06/2023 12:00:00 p.m.	0,0060	0,1140	0,6200	0,0340
04/06/2023 01:00:00 p.m.	0,0000	0,1040	1,0080	0,0300
04/06/2023 02:00:00 p.m.	0,0060	0,1460	0,6280	0,0200
04/06/2023 03:00:00 p.m.	0,0000	0,1420	0,6840	0,0200
04/06/2023 04:00:00 p.m.	0,0160	0,1380	0,4640	0,0200
04/06/2023 05:00:00 p.m.	0,0760	0,1360	0,1220	0,0220
04/06/2023 06:00:00 p.m.	0,2260	0,0940	0,0020	0,0360
04/06/2023 07:00:00 p.m.	0,3080	0,1280	0,0000	0,0520
04/06/2023 08:00:00 p.m.	0,3140	0,0760	0,0000	0,0500
04/06/2023 09:00:00 p.m.	0,3060	0,1380	0,0000	0,0440
04/06/2023 10:00:00 p.m.	0,1740	0,1360	0,0000	0,0200
04/06/2023 11:00:00 p.m.	0,1200	0,1020	0,0000	0,0240
05/06/2023 00:00:00 a.m.	0,1200	0,1020	0,0000	0,0260
05/06/2023 01:00:00 a.m.	0,1200	0,1020	0,0000	0,0240
05/06/2023 02:00:00 a.m.	0,1200	0,1000	0,0000	0,0240
05/06/2023 03:00:00 a.m.	0,1340	0,1140	0,0000	0,0220
05/06/2023 04:00:00 a.m.	0,1320	0,1200	0,0000	0,0240
05/06/2023 05:00:00 a.m.	0,1280	0,1160	0,0000	0,0240
05/06/2023 06:00:00 a.m.	0,1280	0,1120	0,0000	0,0240
05/06/2023 07:00:00 a.m.	0,0720	0,0980	0,0580	0,0280
05/06/2023 08:00:00 a.m.	0,0620	0,0580	0,2240	0,0300
05/06/2023 09:00:00 a.m.	0,0060	0,1400	0,4680	0,0180
05/06/2023 10:00:00 a.m.	0,0000	0,1220	0,6120	0,0180
05/06/2023 11:00:00 a.m.	0,0040	0,1060	0,4340	0,0260
05/06/2023 12:00:00 p.m.	0,0580	0,0980	0,2240	0,0240
05/06/2023 01:00:00 p.m.	0,0020	0,1000	0,7460	0,0300
05/06/2023 02:00:00 p.m.	0,0000	0,0960	0,4940	0,0220
05/06/2023 03:00:00 p.m.	0,0140	0,0920	0,4100	0,0220
05/06/2023 04:00:00 p.m.	0,0600	0,0660	0,3120	0,0400
05/06/2023 05:00:00 p.m.	0,1100	0,1360	0,0620	0,0220
05/06/2023 06:00:00 p.m.	0,1600	0,1340	0,0040	0,0220
05/06/2023 07:00:00 p.m.	0,1440	0,0940	0,0000	0,0340
05/06/2023 08:00:00 p.m.	0,2880	0,1380	0,0000	0,0420
05/06/2023 09:00:00 p.m.	0,2460	0,0960	0,0000	0,0460
05/06/2023 10:00:00 p.m.	0,1780	0,1400	0,0000	0,0240
05/06/2023 11:00:00 p.m.	0,1080	0,0840	0,0000	0,0260
06/06/2023 00:00:00 a.m.	0,1980	0,0880	0,0000	0,0300
06/06/2023 01:00:00 a.m.	0,1720	0,1440	0,0000	0,0200
06/06/2023 02:00:00 a.m.	0,1460	0,1280	0,0000	0,0200

Fecha/Hora	Energia Activa Importada [KWh]	Energia Reactiva Importada [Kvarh]	Energia Activa Exportada [KWh]	Energia reactiva Exportada [Kvarh]
01/06/2023 01:00:00 a.m.	0,1240	0,1000	0,0000	0,0260
01/06/2023 02:00:00 a.m.	0,1240	0,1020	0,0000	0,0260
06/06/2023 03:00:00 a.m.	0,1360	0,1200	0,0000	0,0240
06/06/2023 04:00:00 a.m.	0,1220	0,1040	0,0000	0,0260
06/06/2023 05:00:00 a.m.	0,1200	0,1000	0,0000	0,0240
06/06/2023 06:00:00 a.m.	0,1180	0,1040	0,0000	0,0240
06/06/2023 07:00:00 a.m.	0,0900	0,1000	0,0320	0,0260
06/06/2023 08:00:00 a.m.	0,0620	0,0740	0,2380	0,0300
06/06/2023 09:00:00 a.m.	0,0020	0,1400	0,3540	0,0200
06/06/2023 10:00:00 a.m.	0,0580	0,1360	0,1640	0,0220
06/06/2023 11:00:00 a.m.	0,0080	0,1000	0,3020	0,0280
06/06/2023 12:00:00 p.m.	0,0320	0,1020	0,2800	0,0280
06/06/2023 01:00:00 p.m.	0,0560	0,1040	0,2360	0,0320
06/06/2023 02:00:00 p.m.	0,0060	0,0940	0,3420	0,0280
06/06/2023 03:00:00 p.m.	0,0120	0,1000	0,3640	0,0260
06/06/2023 04:00:00 p.m.	0,0760	0,0660	0,1140	0,0300
06/06/2023 05:00:00 p.m.	0,1560	0,1420	0,0200	0,0200
06/06/2023 06:00:00 p.m.	0,1660	0,1380	0,0000	0,0220
06/06/2023 07:00:00 p.m.	0,3500	0,1400	0,0000	0,0540
06/06/2023 08:00:00 p.m.	0,3420	0,1400	0,0000	0,0520
06/06/2023 09:00:00 p.m.	0,2640	0,1000	0,0000	0,0540
06/06/2023 10:00:00 p.m.	0,2020	0,1380	0,0000	0,0400
06/06/2023 11:00:00 p.m.	0,1820	0,0880	0,0000	0,0260
07/06/2023 00:00:00 a.m.	0,1880	0,1320	0,0000	0,0240
07/06/2023 01:00:00 a.m.	0,1720	0,1460	0,0000	0,0200
07/06/2023 02:00:00 a.m.	0,1480	0,1300	0,0000	0,0200
07/06/2023 03:00:00 a.m.	0,1260	0,1100	0,0000	0,0240
07/06/2023 04:00:00 a.m.	0,1200	0,1020	0,0000	0,0240
07/06/2023 05:00:00 a.m.	0,1160	0,0980	0,0000	0,0260
07/06/2023 06:00:00 a.m.	0,1120	0,0940	0,0000	0,0260
07/06/2023 07:00:00 a.m.	0,0900	0,0840	0,0120	0,0280
07/06/2023 08:00:00 a.m.	0,0840	0,0600	0,1360	0,0340
07/06/2023 09:00:00 a.m.	0,0340	0,1360	0,2600	0,0260
07/06/2023 10:00:00 a.m.	0,0000	0,1360	0,3660	0,0240
07/06/2023 11:00:00 a.m.	0,0000	0,0980	0,5520	0,0240
07/06/2023 12:00:00 p.m.	0,0000	0,0960	0,6460	0,0280
07/06/2023 01:00:00 p.m.	0,0000	0,1120	0,8660	0,0300
07/06/2023 02:00:00 p.m.	0,0000	0,1160	0,4380	0,0240
07/06/2023 03:00:00 p.m.	0,0020	0,0920	0,5940	0,0260
07/06/2023 04:00:00 p.m.	0,0000	0,0700	0,7620	0,0300
07/06/2023 05:00:00 p.m.	0,0880	0,0880	0,2120	0,0280

Fecha/Hora	Energía Activa Importada [KWh]	Energía Reactiva Importada [Kvarh]	Energía Activa Exportada [KWh]	Energía reactiva Exportada [Kvarh]
01/06/2023 01:00:00 a.m.	0,1240	0,1000	0,0000	0,0260
01/06/2023 02:00:00 a.m.	0,1240	0,1020	0,0000	0,0260
07/06/2023 06:00:00 p.m.	0,1760	0,1400	0,0020	0,0260
07/06/2023 07:00:00 p.m.	0,2300	0,0980	0,0000	0,0720
07/06/2023 08:00:00 p.m.	0,3020	0,1200	0,0000	0,0580
07/06/2023 09:00:00 p.m.	0,2440	0,0960	0,0000	0,0460
07/06/2023 10:00:00 p.m.	0,1480	0,0920	0,0000	0,0360
07/06/2023 11:00:00 p.m.	0,1180	0,0920	0,0000	0,0260
08/06/2023 00:00:00 a.m.	0,1160	0,0900	0,0000	0,0260
08/06/2023 01:00:00 a.m.	0,1560	0,0680	0,0000	0,0300
08/06/2023 02:00:00 a.m.	0,1820	0,1460	0,0000	0,0200
08/06/2023 03:00:00 a.m.	0,1640	0,1420	0,0000	0,0200
08/06/2023 04:00:00 a.m.	0,1200	0,1000	0,0000	0,0240
08/06/2023 05:00:00 a.m.	0,1200	0,1000	0,0000	0,0220
08/06/2023 06:00:00 a.m.	0,1180	0,0980	0,0000	0,0260
08/06/2023 07:00:00 a.m.	0,1280	0,1000	0,0000	0,0280
08/06/2023 08:00:00 a.m.	0,1120	0,1020	0,0000	0,0260
08/06/2023 09:00:00 a.m.	0,0740	0,1040	0,0720	0,0280
08/06/2023 10:00:00 a.m.	0,1080	0,0760	0,1340	0,0560
08/06/2023 11:00:00 a.m.	0,0120	0,1440	0,3220	0,0420
08/06/2023 12:00:00 p.m.	0,0020	0,1380	0,4700	0,0340
08/06/2023 01:00:00 p.m.	0,0000	0,1020	0,9720	0,0380
08/06/2023 02:00:00 p.m.	0,0000	0,1020	0,9240	0,0320
08/06/2023 03:00:00 p.m.	0,0000	0,1320	0,8200	0,0280
08/06/2023 04:00:00 p.m.	0,0000	0,0920	0,5460	0,0260
08/06/2023 05:00:00 p.m.	0,0700	0,0920	0,1400	0,0280
08/06/2023 06:00:00 p.m.	0,1720	0,1060	0,0020	0,0260
08/06/2023 07:00:00 p.m.	0,1620	0,1340	0,0000	0,0200
08/06/2023 08:00:00 p.m.	0,1140	0,0960	0,0000	0,0240
08/06/2023 09:00:00 p.m.	0,1240	0,1060	0,0000	0,0240
08/06/2023 10:00:00 p.m.	0,1160	0,1000	0,0000	0,0280
08/06/2023 11:00:00 p.m.	0,1100	0,0980	0,0000	0,0280
09/06/2023 00:00:00 a.m.	0,1120	0,1000	0,0000	0,0280
09/06/2023 01:00:00 a.m.	0,1160	0,1040	0,0000	0,0260
09/06/2023 02:00:00 a.m.	0,1620	0,0780	0,0000	0,0340
09/06/2023 03:00:00 a.m.	0,1740	0,1520	0,0000	0,0240
09/06/2023 04:00:00 a.m.	0,1220	0,1100	0,0000	0,0260
09/06/2023 05:00:00 a.m.	0,1160	0,1040	0,0000	0,0280
09/06/2023 06:00:00 a.m.	0,1060	0,0940	0,0040	0,0280
09/06/2023 07:00:00 a.m.	0,0760	0,0980	0,0920	0,0280
09/06/2023 08:00:00 a.m.	0,0340	0,0960	0,2340	0,0300

Fecha/Hora	Energia Activa Importada [KWh]	Energia Reactiva Importada [Kvarh]	Energia Activa Exportada [KWh]	Energia reactiva Exportada [Kvarh]
01/06/2023 01:00:00 a.m.	0,1240	0,1000	0,0000	0,0260
01/06/2023 02:00:00 a.m.	0,1240	0,1020	0,0000	0,0260
09/06/2023 09:00:00 a.m.	0,0140	0,0980	0,2440	0,0280
09/06/2023 10:00:00 a.m.	0,0060	0,0960	0,3860	0,0280
09/06/2023 11:00:00 a.m.	0,0000	0,0980	0,7580	0,0300
09/06/2023 12:00:00 p.m.	0,0000	0,0980	0,9020	0,0320
09/06/2023 01:00:00 p.m.	0,0000	0,1000	0,6600	0,0360
09/06/2023 02:00:00 p.m.	0,0040	0,0940	0,8680	0,0300
09/06/2023 03:00:00 p.m.	0,0160	0,0920	0,5980	0,0240
09/06/2023 04:00:00 p.m.	0,0020	0,0920	0,6400	0,0260
09/06/2023 05:00:00 p.m.	0,0180	0,0940	0,2600	0,0260
09/06/2023 06:00:00 p.m.	0,1060	0,0920	0,0080	0,0260
09/06/2023 07:00:00 p.m.	0,1120	0,0960	0,0000	0,0260
09/06/2023 08:00:00 p.m.	0,1140	0,0940	0,0000	0,0260
09/06/2023 09:00:00 p.m.	0,1120	0,0960	0,0000	0,0240
09/06/2023 10:00:00 p.m.	0,1120	0,0960	0,0000	0,0260
09/06/2023 11:00:00 p.m.	0,1140	0,0980	0,0000	0,0280
10/06/2023 00:00:00 a.m.	0,1140	0,0980	0,0000	0,0260
10/06/2023 01:00:00 a.m.	0,1140	0,0980	0,0000	0,0260
10/06/2023 02:00:00 a.m.	0,1140	0,0980	0,0000	0,0260
10/06/2023 03:00:00 a.m.	0,1120	0,0980	0,0000	0,0280
10/06/2023 04:00:00 a.m.	0,1140	0,0980	0,0000	0,0280
10/06/2023 05:00:00 a.m.	0,1140	0,0980	0,0000	0,0260
10/06/2023 06:00:00 a.m.	0,1060	0,1000	0,0040	0,0280
10/06/2023 07:00:00 a.m.	0,0680	0,0960	0,0740	0,0280
10/06/2023 08:00:00 a.m.	0,0140	0,0940	0,3260	0,0320
10/06/2023 09:00:00 a.m.	0,0020	0,0960	0,6800	0,0300
10/06/2023 10:00:00 a.m.	0,0060	0,0940	0,5600	0,0280
10/06/2023 11:00:00 a.m.	0,0020	0,0920	0,6220	0,0260
10/06/2023 12:00:00 p.m.	0,0000	0,0900	1,0320	0,0320
10/06/2023 01:00:00 p.m.	0,0000	0,0920	1,1020	0,0320
10/06/2023 02:00:00 p.m.	0,0000	0,0920	0,9340	0,0340
10/06/2023 03:00:00 p.m.	0,0060	0,0980	0,8580	0,0300
10/06/2023 04:00:00 p.m.	0,0040	0,0980	0,6420	0,0260
10/06/2023 05:00:00 p.m.	0,0900	0,1000	0,0300	0,0260
10/06/2023 06:00:00 p.m.	0,1220	0,1060	0,0000	0,0240
10/06/2023 07:00:00 p.m.	0,1220	0,1040	0,0000	0,0260
10/06/2023 08:00:00 p.m.	0,1220	0,1080	0,0000	0,0240
10/06/2023 09:00:00 p.m.	0,1180	0,1020	0,0000	0,0260
10/06/2023 10:00:00 p.m.	0,1300	0,1100	0,0000	0,0320
10/06/2023 11:00:00 p.m.	0,1820	0,0740	0,0000	0,0340

Fecha/Hora	Energia Activa Importada [KWh]	Energia Reactiva Importada [Kvarh]	Energia Activa Exportada [KWh]	Energia reactiva Exportada [Kvarh]
01/06/2023 01:00:00 a.m.	0,1240	0,1000	0,0000	0,0260
01/06/2023 02:00:00 a.m.	0,1240	0,1020	0,0000	0,0260
11/06/2023 00:00:00 a.m.	0,1700	0,1380	0,0000	0,0220
11/06/2023 01:00:00 a.m.	0,1380	0,1140	0,0000	0,0240
11/06/2023 02:00:00 a.m.	0,1280	0,1100	0,0000	0,0240
11/06/2023 03:00:00 a.m.	0,1220	0,1040	0,0000	0,0260
11/06/2023 04:00:00 a.m.	0,1200	0,1020	0,0000	0,0260
11/06/2023 05:00:00 a.m.	0,1140	0,0960	0,0000	0,0260
11/06/2023 06:00:00 a.m.	0,1100	0,0980	0,0020	0,0280
11/06/2023 07:00:00 a.m.	0,0920	0,0640	0,0800	0,0360
11/06/2023 08:00:00 a.m.	0,0300	0,1200	0,2760	0,0300
11/06/2023 09:00:00 a.m.	0,0020	0,1420	0,4900	0,0240
11/06/2023 10:00:00 a.m.	0,0160	0,1360	0,3660	0,0280
11/06/2023 11:00:00 a.m.	0,0100	0,0980	0,2580	0,0440
11/06/2023 12:00:00 p.m.	0,1320	0,1400	0,0700	0,0320
11/06/2023 01:00:00 p.m.	0,1880	0,1000	0,0260	0,0360
11/06/2023 02:00:00 p.m.	0,1160	0,1000	0,0940	0,0400
11/06/2023 03:00:00 p.m.	0,0740	0,0740	0,1900	0,0440
11/06/2023 04:00:00 p.m.	0,0120	0,1540	0,3000	0,0360
11/06/2023 05:00:00 p.m.	0,1340	0,1460	0,0820	0,0320
11/06/2023 06:00:00 p.m.	0,2780	0,1420	0,0020	0,0320
11/06/2023 07:00:00 p.m.	0,3440	0,1380	0,0000	0,0580
11/06/2023 08:00:00 p.m.	0,2680	0,1400	0,0000	0,0400
11/06/2023 09:00:00 p.m.	0,2140	0,1000	0,0020	0,0440
11/06/2023 10:00:00 p.m.	0,1620	0,0720	0,0000	0,0280
11/06/2023 11:00:00 p.m.	0,1900	0,1420	0,0000	0,0200
12/06/2023 00:00:00 a.m.	0,1660	0,1420	0,0000	0,0200
12/06/2023 01:00:00 a.m.	0,1200	0,1000	0,0000	0,0240
12/06/2023 02:00:00 a.m.	0,1200	0,1020	0,0000	0,0240
12/06/2023 03:00:00 a.m.	0,1200	0,1020	0,0000	0,0240
12/06/2023 04:00:00 a.m.	0,1200	0,1040	0,0000	0,0260
12/06/2023 05:00:00 a.m.	0,1180	0,1020	0,0000	0,0240
12/06/2023 06:00:00 a.m.	0,1160	0,1020	0,0000	0,0240
12/06/2023 07:00:00 a.m.	0,1920	0,0740	0,0340	0,0380
12/06/2023 08:00:00 a.m.	0,0760	0,1460	0,2080	0,0300
12/06/2023 09:00:00 a.m.	0,0120	0,1440	0,5420	0,0380
12/06/2023 10:00:00 a.m.	0,0000	0,1020	0,8360	0,0400
12/06/2023 11:00:00 a.m.	0,0360	0,1080	0,8480	0,0320
12/06/2023 12:00:00 p.m.	0,0240	0,1140	0,6680	0,0260
12/06/2023 01:00:00 p.m.	0,0000	0,1340	1,0420	0,0340
12/06/2023 02:00:00 p.m.	0,0020	0,1120	0,7320	0,0260



Fecha/Hora	Energía Activa Importada [KWh]	Energía Reactiva Importada [Kvarh]	Energía Activa Exportada [KWh]	Energía reactiva Exportada [Kvarh]
01/06/2023 01:00:00 a.m.	0,1240	0,1000	0,0000	0,0260
01/06/2023 02:00:00 a.m.	0,1240	0,1020	0,0000	0,0260
12/06/2023 03:00:00 p.m.	0,0200	0,0580	0,6460	0,0320
12/06/2023 04:00:00 p.m.	0,1000	0,1440	0,2040	0,0240
12/06/2023 05:00:00 p.m.	0,2200	0,1380	0,0320	0,0320
12/06/2023 06:00:00 p.m.	0,2740	0,1380	0,0020	0,0320
12/06/2023 07:00:00 p.m.	0,2560	0,0960	0,0000	0,0500
12/06/2023 08:00:00 p.m.	0,3300	0,1380	0,0000	0,0540
12/06/2023 09:00:00 p.m.	0,2440	0,0980	0,0000	0,0460
12/06/2023 10:00:00 p.m.	0,1980	0,1200	0,0000	0,0320
12/06/2023 11:00:00 p.m.	0,1960	0,0900	0,0000	0,0260
13/06/2023 00:00:00 a.m.	0,1680	0,1380	0,0000	0,0180
13/06/2023 01:00:00 a.m.	0,1180	0,0980	0,0000	0,0240
13/06/2023 02:00:00 a.m.	0,1240	0,1060	0,0000	0,0220
13/06/2023 03:00:00 a.m.	0,1280	0,1060	0,0000	0,0240
13/06/2023 04:00:00 a.m.	0,1220	0,1040	0,0000	0,0240
13/06/2023 05:00:00 a.m.	0,1200	0,1020	0,0000	0,0220
13/06/2023 06:00:00 a.m.	0,1200	0,1000	0,0000	0,0240
13/06/2023 07:00:00 a.m.	0,1360	0,0940	0,0700	0,0300
13/06/2023 08:00:00 a.m.	0,0380	0,1400	0,2260	0,0320
13/06/2023 09:00:00 a.m.	0,0000	0,0980	0,6640	0,0380
13/06/2023 10:00:00 a.m.	0,0020	0,0980	0,8960	0,0340
13/06/2023 11:00:00 a.m.	0,0060	0,1320	0,9300	0,0280
13/06/2023 12:00:00 p.m.	0,0020	0,1040	1,1640	0,0340
13/06/2023 01:00:00 p.m.	0,0020	0,1120	1,0340	0,0500
13/06/2023 02:00:00 p.m.	0,0040	0,0740	0,9260	0,0380
13/06/2023 03:00:00 p.m.	0,0020	0,0900	0,7500	0,0300
13/06/2023 04:00:00 p.m.	0,0380	0,1320	0,3260	0,0220
13/06/2023 05:00:00 p.m.	0,1240	0,1360	0,0680	0,0260
13/06/2023 06:00:00 p.m.	0,1820	0,1380	0,0060	0,0220
13/06/2023 07:00:00 p.m.	0,2880	0,1360	0,0000	0,0440
13/06/2023 08:00:00 p.m.	0,3500	0,1380	0,0000	0,0500
13/06/2023 09:00:00 p.m.	0,3500	0,0880	0,0000	0,0620
13/06/2023 10:00:00 p.m.	0,2000	0,1100	0,0000	0,0260
13/06/2023 11:00:00 p.m.	0,1800	0,1420	0,0000	0,0200
14/06/2023 00:00:00 a.m.	0,1640	0,1400	0,0000	0,0180
14/06/2023 01:00:00 a.m.	0,1200	0,1000	0,0000	0,0240
14/06/2023 02:00:00 a.m.	0,1180	0,1020	0,0000	0,0260
14/06/2023 03:00:00 a.m.	0,1200	0,1020	0,0000	0,0240
14/06/2023 04:00:00 a.m.	0,1180	0,1020	0,0000	0,0240
14/06/2023 05:00:00 a.m.	0,1940	0,1040	0,0000	0,0300



Fecha/Hora	Energia Activa Importada [KWh]	Energia Reactiva Importada [Kvarh]	Energia Activa Exportada [KWh]	Energia reactiva Exportada [Kvarh]
01/06/2023 01:00:00 a.m.	0,1240	0,1000	0,0000	0,0260
01/06/2023 02:00:00 a.m.	0,1240	0,1020	0,0000	0,0260
14/06/2023 06:00:00 a.m.	0,1820	0,1160	0,0000	0,0260
14/06/2023 07:00:00 a.m.	0,1460	0,1420	0,0080	0,0220
14/06/2023 08:00:00 a.m.	0,0660	0,1020	0,0720	0,0260
14/06/2023 09:00:00 a.m.	0,0320	0,0980	0,1980	0,0260
14/06/2023 10:00:00 a.m.	0,0080	0,1040	0,2640	0,0260
14/06/2023 11:00:00 a.m.	0,0000	0,1000	0,4000	0,0280
14/06/2023 12:00:00 p.m.	0,0000	0,0980	0,6580	0,0320
14/06/2023 01:00:00 p.m.	0,0000	0,0980	0,6740	0,0420
14/06/2023 02:00:00 p.m.	0,0100	0,0680	0,6860	0,0340
14/06/2023 03:00:00 p.m.	0,0120	0,1380	0,3600	0,0260
14/06/2023 04:00:00 p.m.	0,0960	0,1360	0,1100	0,0320
14/06/2023 05:00:00 p.m.	0,1960	0,0980	0,0360	0,0360
14/06/2023 06:00:00 p.m.	0,3020	0,1380	0,0020	0,0380
14/06/2023 07:00:00 p.m.	0,2940	0,1020	0,0000	0,0540
14/06/2023 08:00:00 p.m.	0,2660	0,1020	0,0000	0,0540
14/06/2023 09:00:00 p.m.	0,3260	0,1320	0,0000	0,0560
14/06/2023 10:00:00 p.m.	0,2220	0,0900	0,0000	0,0380
14/06/2023 11:00:00 p.m.	0,1660	0,1460	0,0000	0,0220
15/06/2023 00:00:00 a.m.	0,1240	0,1140	0,0000	0,0260
15/06/2023 01:00:00 a.m.	0,1340	0,1240	0,0000	0,0260
15/06/2023 02:00:00 a.m.	0,1260	0,1160	0,0000	0,0260
15/06/2023 03:00:00 a.m.	0,1200	0,1080	0,0000	0,0280
15/06/2023 04:00:00 a.m.	0,1160	0,1060	0,0000	0,0280
15/06/2023 05:00:00 a.m.	0,1160	0,1040	0,0000	0,0280
15/06/2023 06:00:00 a.m.	0,1700	0,0760	0,0000	0,0320
15/06/2023 07:00:00 a.m.	0,1460	0,1480	0,0100	0,0240
15/06/2023 08:00:00 a.m.	0,0620	0,0980	0,1160	0,0320
15/06/2023 09:00:00 a.m.	0,0660	0,1440	0,1340	0,0280
15/06/2023 10:00:00 a.m.	0,0320	0,1020	0,1680	0,0320
15/06/2023 11:00:00 a.m.	0,0060	0,1020	0,3200	0,0320
15/06/2023 12:00:00 p.m.	0,0320	0,1000	0,2160	0,0440
15/06/2023 01:00:00 p.m.	0,1080	0,1040	0,1120	0,0520
15/06/2023 02:00:00 p.m.	0,1220	0,0680	0,1100	0,0500
15/06/2023 03:00:00 p.m.	0,1600	0,1440	0,0680	0,0340
15/06/2023 04:00:00 p.m.	0,1860	0,1440	0,0420	0,0340
15/06/2023 05:00:00 p.m.	0,2100	0,1120	0,0200	0,0380
15/06/2023 06:00:00 p.m.	0,2260	0,1020	0,0000	0,0360
15/06/2023 07:00:00 p.m.	0,3320	0,1400	0,0000	0,0540
15/06/2023 08:00:00 p.m.	0,3100	0,1040	0,0000	0,0680

Fecha/Hora	Energia Activa Importada [KWh]	Energia Reactiva Importada [Kvarh]	Energia Activa Exportada [KWh]	Energia reactiva Exportada [Kvarh]
01/06/2023 01:00:00 a.m.	0,1240	0,1000	0,0000	0,0260
01/06/2023 02:00:00 a.m.	0,1240	0,1020	0,0000	0,0260
15/06/2023 09:00:00 p.m.	0,2960	0,1020	0,0000	0,0600
15/06/2023 10:00:00 p.m.	0,1900	0,0700	0,0000	0,0380
15/06/2023 11:00:00 p.m.	0,1760	0,1520	0,0000	0,0220
16/06/2023 00:00:00 a.m.	0,1180	0,1060	0,0000	0,0300
16/06/2023 01:00:00 a.m.	0,1140	0,1060	0,0000	0,0280
16/06/2023 02:00:00 a.m.	0,1140	0,1040	0,0000	0,0280
16/06/2023 03:00:00 a.m.	0,1140	0,1040	0,0000	0,0280
16/06/2023 04:00:00 a.m.	0,1140	0,1060	0,0000	0,0280
16/06/2023 05:00:00 a.m.	0,1140	0,1020	0,0000	0,0280
16/06/2023 06:00:00 a.m.	0,1120	0,1020	0,0000	0,0280
16/06/2023 07:00:00 a.m.	0,0680	0,0860	0,0480	0,0300
16/06/2023 08:00:00 a.m.	0,0560	0,0760	0,1860	0,0340
16/06/2023 09:00:00 a.m.	0,0660	0,1160	0,1880	0,0300
16/06/2023 10:00:00 a.m.	0,0020	0,0960	0,4140	0,0360
16/06/2023 11:00:00 a.m.	0,0040	0,1000	0,5140	0,0360
16/06/2023 12:00:00 p.m.	0,0000	0,0960	0,5200	0,0320
16/06/2023 01:00:00 p.m.	0,0020	0,1060	0,2900	0,0420
16/06/2023 02:00:00 p.m.	0,0120	0,1000	0,3080	0,0420
16/06/2023 03:00:00 p.m.	0,0120	0,1000	0,2320	0,0420
16/06/2023 04:00:00 p.m.	0,1240	0,1000	0,0740	0,0360
16/06/2023 05:00:00 p.m.	0,0940	0,0940	0,0260	0,0300
16/06/2023 06:00:00 p.m.	0,2340	0,0800	0,0000	0,0500
16/06/2023 07:00:00 p.m.	0,2940	0,1460	0,0000	0,0420
16/06/2023 08:00:00 p.m.	0,2540	0,1020	0,0000	0,0520
16/06/2023 09:00:00 p.m.	0,2420	0,1040	0,0000	0,0500
16/06/2023 10:00:00 p.m.	0,1980	0,1480	0,0000	0,0360
16/06/2023 11:00:00 p.m.	0,1180	0,1060	0,0000	0,0280
17/06/2023 00:00:00 a.m.	0,1160	0,1080	0,0000	0,0280
17/06/2023 01:00:00 a.m.	0,1060	0,0920	0,0000	0,0300
17/06/2023 02:00:00 a.m.	0,1260	0,0480	0,0000	0,0340
17/06/2023 03:00:00 a.m.	0,1720	0,1400	0,0000	0,0240
17/06/2023 04:00:00 a.m.	0,1220	0,1100	0,0000	0,0260
17/06/2023 05:00:00 a.m.	0,1080	0,0960	0,0000	0,0280
17/06/2023 06:00:00 a.m.	0,1140	0,1020	0,0000	0,0300
17/06/2023 07:00:00 a.m.	0,1100	0,1020	0,0020	0,0280
17/06/2023 08:00:00 a.m.	0,0760	0,0980	0,0440	0,0280
17/06/2023 09:00:00 a.m.	0,0960	0,1000	0,0600	0,0320
17/06/2023 10:00:00 a.m.	0,0440	0,1000	0,1480	0,0380
17/06/2023 11:00:00 a.m.	0,0800	0,0700	0,1980	0,0440

Fecha/Hora	Energia Activa Importada [KWh]	Energia Reactiva Importada [Kvarh]	Energia Activa Exportada [KWh]	Energia reactiva Exportada [Kvarh]
01/06/2023 01:00:00 a.m.	0,1240	0,1000	0,0000	0,0260
01/06/2023 02:00:00 a.m.	0,1240	0,1020	0,0000	0,0260
17/06/2023 12:00:00 p.m.	0,0540	0,1440	0,2060	0,0280
17/06/2023 01:00:00 p.m.	0,0120	0,1000	0,5420	0,0460
17/06/2023 02:00:00 p.m.	0,0000	0,0960	0,4580	0,0480
17/06/2023 03:00:00 p.m.	0,0000	0,1040	0,2840	0,0440
17/06/2023 04:00:00 p.m.	0,0780	0,0960	0,1040	0,0400
17/06/2023 05:00:00 p.m.	0,1460	0,0800	0,0400	0,0400
17/06/2023 06:00:00 p.m.	0,2100	0,0960	0,0000	0,0360
17/06/2023 07:00:00 p.m.	0,2660	0,0940	0,0000	0,0580
17/06/2023 08:00:00 p.m.	0,3380	0,0680	0,0000	0,0620
17/06/2023 09:00:00 p.m.	0,2080	0,1400	0,0000	0,0280
17/06/2023 10:00:00 p.m.	0,1140	0,1000	0,0000	0,0260
17/06/2023 11:00:00 p.m.	0,1120	0,0980	0,0000	0,0260
18/06/2023 00:00:00 a.m.	0,1120	0,0980	0,0000	0,0280
18/06/2023 01:00:00 a.m.	0,1120	0,1000	0,0000	0,0260
18/06/2023 02:00:00 a.m.	0,0980	0,0840	0,0000	0,0300
18/06/2023 03:00:00 a.m.	0,0900	0,0780	0,0000	0,0300
18/06/2023 04:00:00 a.m.	0,1040	0,0920	0,0000	0,0280
18/06/2023 05:00:00 a.m.	0,1560	0,0740	0,0000	0,0320
18/06/2023 06:00:00 a.m.	0,1700	0,1480	0,0000	0,0220
18/06/2023 07:00:00 a.m.	0,0940	0,0960	0,0140	0,0300
18/06/2023 08:00:00 a.m.	0,0600	0,0980	0,1060	0,0280
18/06/2023 09:00:00 a.m.	0,0140	0,0960	0,3080	0,0360
18/06/2023 10:00:00 a.m.	0,0000	0,0740	0,6720	0,0420
18/06/2023 11:00:00 a.m.	0,0000	0,1200	0,9740	0,0400
18/06/2023 12:00:00 p.m.	0,0020	0,0940	1,0240	0,0500
18/06/2023 01:00:00 p.m.	0,0000	0,0900	1,0000	0,0520
18/06/2023 02:00:00 p.m.	0,0000	0,0700	0,7780	0,0540
18/06/2023 03:00:00 p.m.	0,0200	0,1400	0,4760	0,0260
18/06/2023 04:00:00 p.m.	0,0780	0,1040	0,1080	0,0360
18/06/2023 05:00:00 p.m.	0,2480	0,1400	0,0100	0,0280
18/06/2023 06:00:00 p.m.	0,2420	0,0960	0,0000	0,0440
18/06/2023 07:00:00 p.m.	0,2420	0,0960	0,0000	0,0460
18/06/2023 08:00:00 p.m.	0,2500	0,1000	0,0000	0,0440
18/06/2023 09:00:00 p.m.	0,1400	0,0960	0,0000	0,0380
18/06/2023 10:00:00 p.m.	0,1560	0,0680	0,0000	0,0320
18/06/2023 11:00:00 p.m.	0,1740	0,1400	0,0000	0,0220
19/06/2023 00:00:00 a.m.	0,1140	0,1000	0,0000	0,0260
19/06/2023 01:00:00 a.m.	0,1140	0,1000	0,0000	0,0280
19/06/2023 02:00:00 a.m.	0,1120	0,1020	0,0000	0,0260

Fecha/Hora	Energia Activa Importada [KWh]	Energia Reactiva Importada [Kvarh]	Energia Activa Exportada [KWh]	Energia reactiva Exportada [Kvarh]
01/06/2023 01:00:00 a.m.	0,1240	0,1000	0,0000	0,0260
01/06/2023 02:00:00 a.m.	0,1240	0,1020	0,0000	0,0260
19/06/2023 03:00:00 a.m.	0,1140	0,1020	0,0000	0,0280
19/06/2023 04:00:00 a.m.	0,1120	0,1000	0,0000	0,0280
19/06/2023 05:00:00 a.m.	0,1120	0,1000	0,0000	0,0280
19/06/2023 06:00:00 a.m.	0,0920	0,0820	0,0000	0,0280
19/06/2023 07:00:00 a.m.	0,0640	0,0780	0,0820	0,0320
19/06/2023 08:00:00 a.m.	0,0960	0,1200	0,1980	0,0280
19/06/2023 09:00:00 a.m.	0,0660	0,1260	0,5140	0,0240
19/06/2023 10:00:00 a.m.	0,0340	0,1120	0,7880	0,0380
19/06/2023 11:00:00 a.m.	0,0260	0,0920	0,8580	0,0460
19/06/2023 12:00:00 p.m.	0,0000	0,0900	1,0840	0,0520
19/06/2023 01:00:00 p.m.	0,0020	0,1000	0,9020	0,0500
19/06/2023 02:00:00 p.m.	0,0240	0,0940	0,8940	0,0440
19/06/2023 03:00:00 p.m.	0,0160	0,0960	0,6200	0,0380
19/06/2023 04:00:00 p.m.	0,0280	0,0980	0,3040	0,0280
19/06/2023 05:00:00 p.m.	0,0880	0,0680	0,1860	0,0420
19/06/2023 06:00:00 p.m.	0,2880	0,1380	0,0060	0,0380
19/06/2023 07:00:00 p.m.	0,3060	0,1340	0,0000	0,0480
19/06/2023 08:00:00 p.m.	0,2580	0,0960	0,0000	0,0540
19/06/2023 09:00:00 p.m.	0,2540	0,1000	0,0000	0,0480
19/06/2023 10:00:00 p.m.	0,2520	0,1120	0,0000	0,0460
19/06/2023 11:00:00 p.m.	0,1280	0,1040	0,0000	0,0280
20/06/2023 00:00:00 a.m.	0,1160	0,1000	0,0000	0,0260
20/06/2023 01:00:00 a.m.	0,1240	0,0500	0,0000	0,0320
20/06/2023 02:00:00 a.m.	0,1720	0,1320	0,0000	0,0220
20/06/2023 03:00:00 a.m.	0,1560	0,1400	0,0000	0,0220
20/06/2023 04:00:00 a.m.	0,1160	0,1000	0,0000	0,0280
20/06/2023 05:00:00 a.m.	0,1120	0,0980	0,0000	0,0260
20/06/2023 06:00:00 a.m.	0,1100	0,0940	0,0000	0,0260
20/06/2023 07:00:00 a.m.	0,0940	0,1000	0,0140	0,0260
20/06/2023 08:00:00 a.m.	0,0600	0,0940	0,1140	0,0320
20/06/2023 09:00:00 a.m.	0,0080	0,0980	0,2540	0,0380
20/06/2023 10:00:00 a.m.	0,0180	0,0680	0,4320	0,0360
20/06/2023 11:00:00 a.m.	0,0020	0,1420	0,5560	0,0260
20/06/2023 12:00:00 p.m.	0,0120	0,1160	0,2900	0,0280
20/06/2023 01:00:00 p.m.	0,0000	0,1080	0,4360	0,0440
20/06/2023 02:00:00 p.m.	0,0000	0,1040	0,4880	0,0380
20/06/2023 03:00:00 p.m.	0,0060	0,0920	0,2620	0,0380
20/06/2023 04:00:00 p.m.	0,0840	0,1340	0,1080	0,0400
20/06/2023 05:00:00 p.m.	0,1040	0,0940	0,1840	0,0380

Fecha/Hora	Energia Activa Importada [KWh]	Energia Reactiva Importada [Kvarh]	Energia Activa Exportada [KWh]	Energia reactiva Exportada [Kvarh]
01/06/2023 01:00:00 a.m.	0,1240	0,1000	0,0000	0,0260
01/06/2023 02:00:00 a.m.	0,1240	0,1020	0,0000	0,0260
20/06/2023 06:00:00 p.m.	0,2760	0,0680	0,0060	0,0460
20/06/2023 07:00:00 p.m.	0,2960	0,1420	0,0000	0,0460
20/06/2023 08:00:00 p.m.	0,3140	0,1400	0,0000	0,0520
20/06/2023 09:00:00 p.m.	0,2780	0,1380	0,0000	0,0420
20/06/2023 10:00:00 p.m.	0,1280	0,0980	0,0000	0,0300
20/06/2023 11:00:00 p.m.	0,1140	0,0980	0,0000	0,0260
21/06/2023 00:00:00 a.m.	0,1140	0,0980	0,0000	0,0280
21/06/2023 01:00:00 a.m.	0,1140	0,1000	0,0000	0,0260
21/06/2023 02:00:00 a.m.	0,1680	0,0720	0,0000	0,0320
21/06/2023 03:00:00 a.m.	0,1680	0,1460	0,0000	0,0220
21/06/2023 04:00:00 a.m.	0,1180	0,1060	0,0000	0,0260
21/06/2023 05:00:00 a.m.	0,1220	0,1080	0,0000	0,0260
21/06/2023 06:00:00 a.m.	0,1160	0,1020	0,0000	0,0280
21/06/2023 07:00:00 a.m.	0,0780	0,0960	0,0580	0,0280
21/06/2023 08:00:00 a.m.	0,0320	0,1240	0,1980	0,0280
21/06/2023 09:00:00 a.m.	0,0020	0,0980	0,3720	0,0320
21/06/2023 10:00:00 a.m.	0,0540	0,0660	0,4860	0,0420
21/06/2023 11:00:00 a.m.	0,0000	0,1060	0,8960	0,0360
21/06/2023 12:00:00 p.m.	0,0420	0,1360	0,3220	0,0260
21/06/2023 01:00:00 p.m.	0,0020	0,1400	0,8120	0,0400
21/06/2023 02:00:00 p.m.	0,0000	0,0980	0,8320	0,0340
21/06/2023 03:00:00 p.m.	0,0000	0,1360	0,5260	0,0240
21/06/2023 04:00:00 p.m.	0,0500	0,0920	0,1680	0,0460
21/06/2023 05:00:00 p.m.	0,0700	0,0960	0,0780	0,0440
21/06/2023 06:00:00 p.m.	0,1600	0,0660	0,0140	0,0400
21/06/2023 07:00:00 p.m.	0,2760	0,1380	0,0000	0,0400
21/06/2023 08:00:00 p.m.	0,2840	0,1340	0,0000	0,0420
21/06/2023 09:00:00 p.m.	0,2440	0,0960	0,0000	0,0480
21/06/2023 10:00:00 p.m.	0,1300	0,0980	0,0000	0,0300
21/06/2023 11:00:00 p.m.	0,1140	0,0980	0,0000	0,0260
22/06/2023 00:00:00 a.m.	0,1140	0,1000	0,0000	0,0260
22/06/2023 01:00:00 a.m.	0,1140	0,1000	0,0000	0,0260
22/06/2023 02:00:00 a.m.	0,1620	0,0940	0,0000	0,0280
22/06/2023 03:00:00 a.m.	0,1680	0,1200	0,0000	0,0260
22/06/2023 04:00:00 a.m.	0,1580	0,1420	0,0000	0,0200
22/06/2023 05:00:00 a.m.	0,1140	0,0980	0,0000	0,0260
22/06/2023 06:00:00 a.m.	0,1120	0,0980	0,0000	0,0260
22/06/2023 07:00:00 a.m.	0,0780	0,0940	0,0580	0,0320
22/06/2023 08:00:00 a.m.	0,0740	0,1360	0,1220	0,0240

Fecha/Hora	Energia Activa Importada [KWh]	Energia Reactiva Importada [Kvarh]	Energia Activa Exportada [KWh]	Energia reactiva Exportada [Kvarh]
01/06/2023 01:00:00 a.m.	0,1240	0,1000	0,0000	0,0260
01/06/2023 02:00:00 a.m.	0,1240	0,1020	0,0000	0,0260
22/06/2023 09:00:00 a.m.	0,0660	0,0940	0,0760	0,0260
22/06/2023 10:00:00 a.m.	0,0760	0,0960	0,0540	0,0400
22/06/2023 11:00:00 a.m.	0,0500	0,0720	0,2440	0,0620
22/06/2023 12:00:00 p.m.	0,0460	0,1360	0,1900	0,0280
22/06/2023 01:00:00 p.m.	0,0600	0,1420	0,1480	0,0260
22/06/2023 02:00:00 p.m.	0,0280	0,0980	0,1800	0,0420
22/06/2023 03:00:00 p.m.	0,0040	0,0980	0,3680	0,0280
22/06/2023 04:00:00 p.m.	0,0040	0,1100	0,3260	0,0340
22/06/2023 05:00:00 p.m.	0,1400	0,1160	0,0620	0,0320
22/06/2023 06:00:00 p.m.	0,2420	0,0960	0,0040	0,0380
22/06/2023 07:00:00 p.m.	0,3340	0,0800	0,0000	0,0540
22/06/2023 08:00:00 p.m.	0,4260	0,1380	0,0000	0,0480
22/06/2023 09:00:00 p.m.	0,2420	0,0980	0,0000	0,0480
22/06/2023 10:00:00 p.m.	0,1280	0,0960	0,0000	0,0300
22/06/2023 11:00:00 p.m.	0,1120	0,0980	0,0000	0,0260
23/06/2023 00:00:00 a.m.	0,1140	0,0980	0,0000	0,0260
23/06/2023 01:00:00 a.m.	0,1140	0,1000	0,0000	0,0260
23/06/2023 02:00:00 a.m.	0,1120	0,1020	0,0000	0,0260
23/06/2023 03:00:00 a.m.	0,1580	0,0820	0,0000	0,0340
23/06/2023 04:00:00 a.m.	0,1740	0,1400	0,0000	0,0220
23/06/2023 05:00:00 a.m.	0,1480	0,1360	0,0000	0,0220
23/06/2023 06:00:00 a.m.	0,1160	0,1040	0,0000	0,0280
23/06/2023 07:00:00 a.m.	0,0640	0,0980	0,0820	0,0300
23/06/2023 08:00:00 a.m.	0,0380	0,0840	0,1780	0,0340
23/06/2023 09:00:00 a.m.	0,0020	0,0960	0,4220	0,0280
23/06/2023 10:00:00 a.m.	0,0000	0,0960	0,6160	0,0260
23/06/2023 11:00:00 a.m.	0,0000	0,0920	0,8460	0,0240
23/06/2023 12:00:00 p.m.	0,0000	0,0660	0,6980	0,0320
23/06/2023 01:00:00 p.m.	0,0000	0,1380	0,8800	0,0300
23/06/2023 02:00:00 p.m.	0,0000	0,1360	0,8560	0,0220
23/06/2023 03:00:00 p.m.	0,0000	0,0940	0,9460	0,0300
23/06/2023 04:00:00 p.m.	0,0020	0,1320	0,3680	0,0260
23/06/2023 05:00:00 p.m.	0,1340	0,0920	0,0900	0,0300
23/06/2023 06:00:00 p.m.	0,2420	0,0980	0,0020	0,0400
23/06/2023 07:00:00 p.m.	0,2660	0,1200	0,0000	0,0400
23/06/2023 08:00:00 p.m.	0,3240	0,0840	0,0000	0,0500
23/06/2023 09:00:00 p.m.	0,2960	0,1420	0,0000	0,0420
23/06/2023 10:00:00 p.m.	0,1300	0,1020	0,0000	0,0260
23/06/2023 11:00:00 p.m.	0,1320	0,1180	0,0000	0,0260

Fecha/Hora	Energia Activa Importada [KWh]	Energia Reactiva Importada [Kvarh]	Energia Activa Exportada [KWh]	Energia reactiva Exportada [Kvarh]
01/06/2023 01:00:00 a.m.	0,1240	0,1000	0,0000	0,0260
01/06/2023 02:00:00 a.m.	0,1240	0,1020	0,0000	0,0260
24/06/2023 00:00:00 a.m.	0,1220	0,1060	0,0000	0,0240
24/06/2023 01:00:00 a.m.	0,1160	0,1020	0,0000	0,0260
24/06/2023 02:00:00 a.m.	0,1120	0,1000	0,0000	0,0260
24/06/2023 03:00:00 a.m.	0,1160	0,1020	0,0000	0,0260
24/06/2023 04:00:00 a.m.	0,1820	0,0880	0,0000	0,0300
24/06/2023 05:00:00 a.m.	0,1620	0,1440	0,0000	0,0220
24/06/2023 06:00:00 a.m.	0,1140	0,1040	0,0020	0,0260
24/06/2023 07:00:00 a.m.	0,0900	0,1000	0,0240	0,0280
24/06/2023 08:00:00 a.m.	0,0800	0,1100	0,0580	0,0280
24/06/2023 09:00:00 a.m.	0,1200	0,0840	0,0020	0,0320
24/06/2023 10:00:00 a.m.	0,2260	0,0980	0,0040	0,0440
24/06/2023 11:00:00 a.m.	0,1620	0,0980	0,0640	0,0500
24/06/2023 12:00:00 p.m.	0,1300	0,0740	0,0920	0,0440
24/06/2023 01:00:00 p.m.	0,0240	0,1440	0,1640	0,0380
24/06/2023 02:00:00 p.m.	0,0120	0,1420	0,1520	0,0380
24/06/2023 03:00:00 p.m.	0,0020	0,1380	0,1560	0,0400
24/06/2023 04:00:00 p.m.	0,0360	0,1000	0,1420	0,0360
24/06/2023 05:00:00 p.m.	0,0560	0,1260	0,1100	0,0380
24/06/2023 06:00:00 p.m.	0,2500	0,1080	0,0100	0,0400
24/06/2023 07:00:00 p.m.	0,2680	0,1180	0,0000	0,0440
24/06/2023 08:00:00 p.m.	0,3260	0,0880	0,0000	0,0520
24/06/2023 09:00:00 p.m.	0,2960	0,1420	0,0000	0,0440
24/06/2023 10:00:00 p.m.	0,1880	0,1380	0,0000	0,0280
24/06/2023 11:00:00 p.m.	0,1160	0,0980	0,0000	0,0240
25/06/2023 00:00:00 a.m.	0,1140	0,0980	0,0000	0,0260
25/06/2023 01:00:00 a.m.	0,1140	0,0980	0,0000	0,0280
25/06/2023 02:00:00 a.m.	0,1140	0,1020	0,0000	0,0260
25/06/2023 03:00:00 a.m.	0,1140	0,1000	0,0000	0,0280
25/06/2023 04:00:00 a.m.	0,1680	0,0740	0,0000	0,0300
25/06/2023 05:00:00 a.m.	0,1640	0,1460	0,0000	0,0220
25/06/2023 06:00:00 a.m.	0,1140	0,1020	0,0000	0,0280
25/06/2023 07:00:00 a.m.	0,1260	0,1420	0,0280	0,0240
25/06/2023 08:00:00 a.m.	0,0780	0,1260	0,1100	0,0240
25/06/2023 09:00:00 a.m.	0,0200	0,1100	0,2420	0,0320
25/06/2023 10:00:00 a.m.	0,0060	0,0940	0,3360	0,0340
25/06/2023 11:00:00 a.m.	0,0000	0,0940	0,5240	0,0340
25/06/2023 12:00:00 p.m.	0,0000	0,0700	0,9720	0,0460
25/06/2023 01:00:00 p.m.	0,0180	0,1380	0,3820	0,0260
25/06/2023 02:00:00 p.m.	0,0080	0,1360	0,6380	0,0340



Fecha/Hora	Energia Activa Importada [KWh]	Energia Reactiva Importada [Kvarh]	Energia Activa Exportada [KWh]	Energia reactiva Exportada [Kvarh]
01/06/2023 01:00:00 a.m.	0,1240	0,1000	0,0000	0,0260
01/06/2023 02:00:00 a.m.	0,1240	0,1020	0,0000	0,0260
25/06/2023 03:00:00 p.m.	0,0000	0,0980	0,9200	0,0380
25/06/2023 04:00:00 p.m.	0,0220	0,0940	0,4560	0,0320
25/06/2023 05:00:00 p.m.	0,0260	0,1020	0,1920	0,0280
25/06/2023 06:00:00 p.m.	0,1260	0,1160	0,0120	0,0220
25/06/2023 07:00:00 p.m.	0,1920	0,1040	0,0000	0,0380
25/06/2023 08:00:00 p.m.	0,2760	0,0700	0,0000	0,0360
25/06/2023 09:00:00 p.m.	0,3000	0,1360	0,0000	0,0320
25/06/2023 10:00:00 p.m.	0,1300	0,0960	0,0000	0,0260
25/06/2023 11:00:00 p.m.	0,1360	0,1140	0,0000	0,0220
26/06/2023 00:00:00 a.m.	0,1320	0,1120	0,0000	0,0220
26/06/2023 01:00:00 a.m.	0,1260	0,1080	0,0000	0,0240
26/06/2023 02:00:00 a.m.	0,1220	0,1040	0,0000	0,0240
26/06/2023 03:00:00 a.m.	0,1160	0,1000	0,0000	0,0240
26/06/2023 04:00:00 a.m.	0,1180	0,1020	0,0000	0,0240
26/06/2023 05:00:00 a.m.	0,1140	0,0980	0,0000	0,0240
26/06/2023 06:00:00 a.m.	0,1140	0,1000	0,0000	0,0240
26/06/2023 07:00:00 a.m.	0,1220	0,0980	0,0260	0,0260
26/06/2023 08:00:00 a.m.	0,1300	0,1100	0,0700	0,0240
26/06/2023 09:00:00 a.m.	0,0460	0,0480	0,2720	0,0400
26/06/2023 10:00:00 a.m.	0,0200	0,1380	0,3180	0,0280
26/06/2023 11:00:00 a.m.	0,0080	0,1340	0,4440	0,0300
26/06/2023 12:00:00 p.m.	0,0000	0,0920	1,0980	0,0380
26/06/2023 01:00:00 p.m.	0,0040	0,0960	1,0860	0,0340
26/06/2023 02:00:00 p.m.	0,0140	0,1100	1,0120	0,0180
26/06/2023 03:00:00 p.m.	0,0080	0,1400	0,8340	0,0200
26/06/2023 04:00:00 p.m.	0,0000	0,0960	0,6720	0,0220
26/06/2023 05:00:00 p.m.	0,0460	0,0740	0,2580	0,0280
26/06/2023 06:00:00 p.m.	0,1820	0,1340	0,0060	0,0200
26/06/2023 07:00:00 p.m.	0,3180	0,1400	0,0000	0,0440
26/06/2023 08:00:00 p.m.	0,3440	0,1380	0,0000	0,0540
26/06/2023 09:00:00 p.m.	0,3080	0,1400	0,0000	0,0440
26/06/2023 10:00:00 p.m.	0,1900	0,1340	0,0000	0,0300
26/06/2023 11:00:00 p.m.	0,1400	0,1180	0,0000	0,0240
27/06/2023 00:00:00 a.m.	0,1460	0,0760	0,0000	0,0300
27/06/2023 01:00:00 a.m.	0,1820	0,1180	0,0000	0,0260
27/06/2023 02:00:00 a.m.	0,1680	0,1460	0,0000	0,0240
27/06/2023 03:00:00 a.m.	0,1200	0,1020	0,0000	0,0280
27/06/2023 04:00:00 a.m.	0,1280	0,1120	0,0000	0,0260
27/06/2023 05:00:00 a.m.	0,1280	0,1100	0,0000	0,0280

Fecha/Hora	Energia Activa Importada [KWh]	Energia Reactiva Importada [Kvarh]	Energia Activa Exportada [KWh]	Energia reactiva Exportada [Kvarh]
01/06/2023 01:00:00 a.m.	0,1240	0,1000	0,0000	0,0260
01/06/2023 02:00:00 a.m.	0,1240	0,1020	0,0000	0,0260
27/06/2023 06:00:00 a.m.	0,1260	0,1100	0,0000	0,0260
27/06/2023 07:00:00 a.m.	0,0880	0,1000	0,0280	0,0300
27/06/2023 08:00:00 a.m.	0,0020	0,0840	0,3200	0,0360
27/06/2023 09:00:00 a.m.	0,0180	0,0980	0,5780	0,0360
27/06/2023 10:00:00 a.m.	0,0000	0,1380	0,8680	0,0300
27/06/2023 11:00:00 a.m.	0,0000	0,1320	0,5140	0,0240
27/06/2023 12:00:00 p.m.	0,0120	0,1000	0,3240	0,0280
27/06/2023 01:00:00 p.m.	0,0280	0,0960	0,2580	0,0340
27/06/2023 02:00:00 p.m.	0,0060	0,0960	0,4300	0,0380
27/06/2023 03:00:00 p.m.	0,0020	0,1360	0,6180	0,0380
27/06/2023 04:00:00 p.m.	0,0020	0,0740	0,7020	0,0360
27/06/2023 05:00:00 p.m.	0,0700	0,0900	0,2760	0,0340
27/06/2023 06:00:00 p.m.	0,1480	0,1380	0,0240	0,0220
27/06/2023 07:00:00 p.m.	0,1660	0,1320	0,0000	0,0260
27/06/2023 08:00:00 p.m.	0,2500	0,0960	0,0000	0,0460
27/06/2023 09:00:00 p.m.	0,2820	0,1280	0,0000	0,0420
27/06/2023 10:00:00 p.m.	0,1540	0,1080	0,0000	0,0280
27/06/2023 11:00:00 p.m.	0,1240	0,0980	0,0000	0,0240
28/06/2023 00:00:00 a.m.	0,1660	0,0820	0,0000	0,0300
28/06/2023 01:00:00 a.m.	0,1820	0,1340	0,0000	0,0200
28/06/2023 02:00:00 a.m.	0,1680	0,1440	0,0000	0,0200
28/06/2023 03:00:00 a.m.	0,1380	0,1220	0,0000	0,0200
28/06/2023 04:00:00 a.m.	0,1380	0,1200	0,0000	0,0220
28/06/2023 05:00:00 a.m.	0,1180	0,0980	0,0000	0,0260
28/06/2023 06:00:00 a.m.	0,1160	0,0980	0,0000	0,0220
28/06/2023 07:00:00 a.m.	0,0760	0,0940	0,0480	0,0260
28/06/2023 08:00:00 a.m.	0,0760	0,0660	0,1640	0,0340
28/06/2023 09:00:00 a.m.	0,0340	0,1380	0,2440	0,0260
28/06/2023 10:00:00 a.m.	0,0040	0,1360	0,4740	0,0260
28/06/2023 11:00:00 a.m.	0,0000	0,0980	0,8420	0,0280
28/06/2023 12:00:00 p.m.	0,0000	0,1360	0,4740	0,0300
28/06/2023 01:00:00 p.m.	0,0160	0,1040	0,2880	0,0340
28/06/2023 02:00:00 p.m.	0,0040	0,0980	0,3340	0,0300
28/06/2023 03:00:00 p.m.	0,0320	0,1160	0,3280	0,0300
28/06/2023 04:00:00 p.m.	0,1640	0,0520	0,0620	0,0400
28/06/2023 05:00:00 p.m.	0,2560	0,1400	0,0120	0,0300
28/06/2023 06:00:00 p.m.	0,2640	0,1420	0,0020	0,0380
28/06/2023 07:00:00 p.m.	0,2680	0,1360	0,0000	0,0500
28/06/2023 08:00:00 p.m.	0,2300	0,0940	0,0000	0,0460

Fecha/Hora	Energía Activa Importada [KWh]	Energía Reactiva Importada [Kvarh]	Energía Activa Exportada [KWh]	Energía reactiva Exportada [Kvarh]
01/06/2023 01:00:00 a.m.	0,1240	0,1000	0,0000	0,0260
01/06/2023 02:00:00 a.m.	0,1240	0,1020	0,0000	0,0260
28/06/2023 09:00:00 p.m.	0,2440	0,1040	0,0000	0,0440
28/06/2023 10:00:00 p.m.	0,1700	0,1240	0,0000	0,0280
28/06/2023 11:00:00 p.m.	0,1240	0,1000	0,0000	0,0240
29/06/2023 00:00:00 a.m.	0,1740	0,0700	0,0000	0,0320
29/06/2023 01:00:00 a.m.	0,1700	0,1380	0,0000	0,0220
29/06/2023 02:00:00 a.m.	0,1300	0,1160	0,0000	0,0240
29/06/2023 03:00:00 a.m.	0,1320	0,1160	0,0000	0,0240
29/06/2023 04:00:00 a.m.	0,1200	0,1060	0,0000	0,0240
29/06/2023 05:00:00 a.m.	0,1140	0,0980	0,0000	0,0260
29/06/2023 06:00:00 a.m.	0,1120	0,0940	0,0000	0,0280
29/06/2023 07:00:00 a.m.	0,0840	0,0980	0,0320	0,0260
29/06/2023 08:00:00 a.m.	0,0660	0,0700	0,2220	0,0360
29/06/2023 09:00:00 a.m.	0,0240	0,1420	0,3160	0,0220
29/06/2023 10:00:00 a.m.	0,0000	0,1380	0,5020	0,0200
29/06/2023 11:00:00 a.m.	0,0000	0,0980	0,6800	0,0260
29/06/2023 12:00:00 p.m.	0,0000	0,0980	0,9260	0,0220
29/06/2023 01:00:00 p.m.	0,0020	0,1220	0,5600	0,0280
29/06/2023 02:00:00 p.m.	0,0660	0,1120	0,1160	0,0260
29/06/2023 03:00:00 p.m.	0,0320	0,1000	0,2380	0,0340
29/06/2023 04:00:00 p.m.	0,0300	0,0640	0,3680	0,0400
29/06/2023 05:00:00 p.m.	0,1320	0,1100	0,1240	0,0320
29/06/2023 06:00:00 p.m.	0,2620	0,1380	0,0040	0,0300
29/06/2023 07:00:00 p.m.	0,1560	0,1040	0,0000	0,0280
29/06/2023 08:00:00 p.m.	0,1860	0,1260	0,0000	0,0280
29/06/2023 09:00:00 p.m.	0,2560	0,1060	0,0000	0,0480
29/06/2023 10:00:00 p.m.	0,1280	0,0960	0,0000	0,0280
29/06/2023 11:00:00 p.m.	0,1200	0,0960	0,0000	0,0260
30/06/2023 00:00:00 a.m.	0,1180	0,0980	0,0000	0,0260
30/06/2023 01:00:00 a.m.	0,1720	0,0720	0,0000	0,0300
30/06/2023 02:00:00 a.m.	0,1660	0,1400	0,0000	0,0200
30/06/2023 03:00:00 a.m.	0,1260	0,1080	0,0000	0,0260
30/06/2023 04:00:00 a.m.	0,1200	0,1060	0,0000	0,0260
30/06/2023 05:00:00 a.m.	0,1200	0,1040	0,0000	0,0240
30/06/2023 06:00:00 a.m.	0,1160	0,1020	0,0000	0,0260
30/06/2023 07:00:00 a.m.	0,1060	0,1140	0,0140	0,0260
30/06/2023 08:00:00 a.m.	0,0760	0,0820	0,0960	0,0340
30/06/2023 09:00:00 a.m.	0,1200	0,0740	0,0640	0,0380
30/06/2023 10:00:00 a.m.	0,0940	0,1220	0,1040	0,0240
30/06/2023 11:00:00 a.m.	0,0180	0,1400	0,2840	0,0260

Fecha/Hora	Energía Activa Importada [KWh]	Energía Reactiva Importada [Kvarh]	Energía Activa Exportada [KWh]	Energía reactiva Exportada [Kvarh]
01/06/2023 01:00:00 a.m.	0,1240	0,1000	0,0000	0,0260
01/06/2023 02:00:00 a.m.	0,1240	0,1020	0,0000	0,0260
30/06/2023 12:00:00 p.m.	0,0000	0,1060	0,8700	0,0320
30/06/2023 01:00:00 p.m.	0,0060	0,1020	0,4200	0,0300
30/06/2023 02:00:00 p.m.	0,0020	0,1000	0,8040	0,0300
30/06/2023 03:00:00 p.m.	0,0200	0,0980	0,3380	0,0300
30/06/2023 04:00:00 p.m.	0,0020	0,0980	0,3380	0,0380
30/06/2023 05:00:00 p.m.	0,0380	0,0980	0,1680	0,0380
30/06/2023 06:00:00 p.m.	0,1560	0,0700	0,0080	0,0300
30/06/2023 07:00:00 p.m.	0,1760	0,1420	0,0000	0,0180
30/06/2023 08:00:00 p.m.	0,2620	0,1420	0,0000	0,0400
30/06/2023 09:00:00 p.m.	0,2480	0,1000	0,0000	0,0460
30/06/2023 10:00:00 p.m.	0,1440	0,1020	0,0000	0,0280
30/06/2023 11:00:00 p.m.	0,1240	0,1000	0,0000	0,0260
01/07/2023 00:00:00 a.m.	0,1200	0,1000	0,0000	0,0240
<b>Totales</b>	<b>80,4360</b>	<b>77,1220</b>	<b>128,0800</b>	<b>22,4300</b>